



Product technical sheet

MINISWEET 0108-2







1 - 8 years

19 kids

25,1 m²



Material specification

- Stainless steel, hot-dip galvanized and powder coated or powder galvanized and powder coated steel construction of 80 x 80 mm profile,
- Roofs, side panels made of durable HDPE or HPL plate, resistant to weather conditions,
- Educational paneles and moving elements made of HDPE or HPL plate, resistant to weather conditions,
- Windows and/or elements made of polycarbonate,
- Spherical windows made of polycarbonate,
- Double wall tube passage made of polypropylene,
- Screws covered with plastic caps and/or stainless steel screws,
- Safe end caps on top of the structure made of rubber or polypropylene,



Facilitating disability



easy access



shelters



integration



Intellectual development



manipulation

thinking



sight



Physical development



hiding



crawling

22/07/2022






















Product technical sheet

MINISWEET 0108-2

Product data

Length	305 cm	
Width	160 cm	
Total height	170 cm	
Age group	1 - 8 years	
Number of users	19 kids	
Safety zone	25,1 m2	
Free fall height	<60 cm	
In accordance with norm EN	1176-1:2017+A1:2023	
Weight of the heaviest part	12 kg	
Dimensions of the largest part	178x15x15 cm	
Availability of spare parts	YES	
Installation time	7,5 h	
Color options		

Data is subject to change without prior notice.

Additional information

- equipment adapted for the disabled; intended for public playgrounds;
- equipment has a certificate issued by an accredited entity or a declaration of conformity;
- no sharp edges or chinks that would pose a danger of jamming the head, fingers or any other body parts;
- anchoring on flat surface, 80/70/60 cm deep;
- render is for reference only, the actual appearance of the equipment and its color may vary;

Guarantee



30 year guarantee -Durability of steel and 15 stainless steel structural elements



15 year guarantee - Durability of steel and stainless steel structures of mobile devices; durability of Robinia wood structural elements



10 year guarantee - Structural strength of HDPE, 100% recycled HDPE and HPL elements; structural elements made of 100% recycled material (composite)



5 year guarantee - Corrosion resistance of stainless steel and hot-dip galvanized and powder-coated steel elements, resistance to bark beetles and rotting of wooden structural elements

Detailed information in the guarantee card

Vinci Group Sp. z o.o. Seminaryjna 9 Street 99-400 Łowicz

VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991



biuro@vinci-play.com info@vinci-play.com www.vinci-play.com



Surfaces according to EN 1176-1:2017+A1:2023

	Description (mm)	Layer thickness (cm)	Maximum fall heights (cm)
Turf/ top layer of soil (A,B,C)	-	-	≤100
bark (A.C.)	Particle size from 20 to 80 40	30	≤200
bark (A,C)		40	≤300
woodchips (A,C) Particle size from to 30	Particle size from 5	30	≤200
	to 30	40	≤300
sand or dravel (A (1)	Particle size from	30	≤200
	0,25 to 8	40	≤300
synthetic attested (A,B,C)	Tested according to EN 1177		60

Product technical sheet

MINISWEET 0108-2

Amount of safe surface corresponding with free fall height:

HIC <60 25,1 m²

Data is subject to change without prior notice.

