








| Part Reference   | Description                  |
|------------------|------------------------------|
| PP-CONG-SM-SD-GR | Congas - Small (Ground Fix)  |
| PP-CONG-MD-SD-GR | Congas - Medium (Ground Fix) |
| PP-CONG-LG-SD-GR | Congas - Large (Ground Fix)  |






Check Risk Assessment



## Packages



|    |            | L           | W          | H            | Weight       | Net |
|----|------------|-------------|------------|--------------|--------------|-----|
| x1 | 900943 - S | 27cm / 11"  | 27cm / 11" | 55cm / 22"   | 9kg / 20lbs  |     |
|    | 900944 - M | 27cm / 11"  | 27cm / 11" | 65cm / 26"   | 10kg / 22lbs |     |
|    | 900945 - L | 27cm / 11"  | 27cm / 11" | 75cm / 29.5" | 10kg / 22lbs |     |
| x1 | 900942     | 115cm / 45" | 10cm / 4"  | 10cm / 4"    | 4kg / 9lbs   |     |


Spares available from  
[percussionplay.com](http://percussionplay.com) or  
from your local distributor

## Tools required (not supplied)


¼" Bit Driver Ratchet




11/16" / 17mm Spanner









Spirit level



Tape Measure




| 900943 – S<br>900944 – M<br>900945 – L                                                                       |                                                                                                                  |
|--------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|
| <p>(A) x2<br/>600733</p>    | <p>(1) x1<br/>Ø 20cm/8"</p>     |
| <p>(B) x2<br/>600732</p>    | <p>(2) x1<br/>Ø 25cm/10"</p>  |
| <p>(C) x4<br/>500572</p>   |                                                                                                                  |
| <p>(D) x4<br/>500685</p>  | <p>TX45 x1<br/>500720</p>    |



| 900942                                                                                                         |                                                                                      |
|----------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| <p>(3) x1<br/>801800</p>    |  |
| <p>(E) x4<br/>500457</p>  | <p>(F) x2<br/>500627</p>                                                             |


Not to scale

1.




TX45



|   |                                                                                     |    |
|---|-------------------------------------------------------------------------------------|----|
| A |    | x2 |
| C |  | x2 |
| D |  | x2 |




2.




TX45

|   |                                                                                     |    |
|---|-------------------------------------------------------------------------------------|----|
| B |   | x2 |
| C |  | x2 |
| D |  | x2 |




## 3.



### 3.1



### 3.2



### 3.3



|   |                                                                                     |    |
|---|-------------------------------------------------------------------------------------|----|
| E |  | x4 |
| F |  | x2 |




## 4.





Foundations  
should not present  
a hazard



Refer to your local  
Health & Safety  
standards




85cm  
33"



Use spirit level  
(not supplied)





[percussionplay.com](http://percussionplay.com)



[info@percussionplay.com](mailto:info@percussionplay.com)



UK  
[01730 235 180](tel:+441730235180)

USA & CAN  
[+1 \(866\) 882 9170](tel:+18668829170)

EUR & ROW  
[+44 1730 235 180](tel:+441730235180)