

Product technical sheet

ROBINIA RB1277





Material specification

- Construction made of Robinia very durable acacia wood with a diameter of ~ 18 cm without sharp edges, resistant to weather conditions,
- Steel ropes in polypropylene braid, connected with durable aluminum, stainless steel and/or plastic elements,
- Calibrated stainless steel chains, preventing fingers entrapment,
- Screws covered with plastic caps and/or stainless steel screws,




Vinci Group Sp. z o.o. Seminaryjna 9 Street 99-400 Łowicz VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991





biuro@vinci-play.com info@vinci-play.com www.vinci-play.com











Guarantee



30 year guarantee -Structural strength of steel and stainless steel components

Detailed information in the guarantee card



15 year guarantee -Structural failure of steel and stainless steel, for dynamic equipment

10

10 year guarantee - Structural failure of high density polyethylene and high pressure laminates components



5 year guarantee - Corrosion of stainless steel and hot dip galvanized and powder coated components; against bark beetles and rot in case of wooden structural elements

Vinci Group Sp. z o.o.	
Seminaryjna 9 Street	
99-400 Łowicz	

VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991



biuro@vinci-play.com info@vinci-play.com www.vinci-play.com

Product technical sheet ROBINIA RB1277

Product data

Length	230 cm
Width	230 cm
Total height	200 cm
Age group	4+ years
Number of users	10 kids
Safety zone	32,0 m2
Free fall height	190 cm
In accordance with norm EN	1176-1:2017
Weight of the heaviest part	69 kg
Dimensions of the largest part	305x18x18 cm
Availability of spare parts	YES
Installation time	3,5 h

Data is subject to change without prior notice.

Additional information

- equipment intended for public playgrounds;
- equipment has a certificate issued by an accredited • entity or a declaration of conformity;
- no sharp edges or chinks that would pose a danger of • jimming the head, fingers or any other body parts;
- anchoring on flat surface, 100 cm deep; •
- render is for reference only, the actual appearance of • the equipment and its color may vary;



Surfaces according to EN 1176-1:2017


	Description (mm)	Layer thickness (cm)	Maximum fall heights (cm)
Turf/ top layer of soil (A,B,C)	-	-	≤100
bark (A,C)	Particle size from 20 to 80	30	≤200
		40	≤300
woodching (A.C)	s (A,C) Particle size from 5 to 30	30	≤200
woodchips (A,C)		40	≤300
cond or group (A.C.)	Particle size from	30	≤200
sand or gravel (A,C) 0,25 to 8	40	≤300	
synthetic attested (A,B,C)	Tested according to EN 1177		190


Product technical sheet **ROBINIA RB1277**

Amount of safe surface corresponding with free fall height:

HIC 190	32,0 m ²

Data is subject to change without prior notice.





Vinci Group Sp. z o.o. Seminaryjna 9 Street 99-400 Łowicz VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991



biuro@vinci-play.com info@vinci-play.com www.vinci-play.com