



## **Material specification**

- Construction made of Robinia very durable acacia wood with a diameter of ~ 18 cm without sharp edges, resistant to weather conditions,
- Stainless steel construction,
- Seats/backrests made of Robinia very durable acacia wood without sharp edges, resistant to weather conditions,
- Calibrated stainless steel chains, preventing fingers entrapment,
- Screws covered with plastic caps and/or stainless steel screws,

#### **Product technical sheet**

# **ROBINIA RB1332**







2 - 12 years

11 kids

20,8 m<sup>2</sup>





#### **Facilitating disability**



easy access



integration



#### Intellectual development



manipulation



le sensoriel



thinking



**Physical development** 





06/10/2021














#### **Product technical sheet**

## **ROBINIA RB1332**

#### **Product data**

Length	222 cm	
Width	144 cm	
Total height	175 cm	
Age group	2 - 12 years	
Number of users	11 kids	
Safety zone	20,8 m2	
Free fall height	<60 cm	
In accordance with norm EN	1176-1:2017	
Weight of the heaviest part	56 kg	
Dimensions of the largest part	240x18x18 cm	
Availability of spare parts	YES	
Installation time	4,0 h	

Data is subject to change without prior notice.

#### **Additional information**

- equipment adapted for the disabled; intended for public playgrounds;
- equipment has a certificate issued by an accredited entity or a declaration of conformity;
- no sharp edges or chinks that would pose a danger of jimming the head, fingers or any other body parts;
- anchoring on flat surface, 80/70/60 cm deep;
- render is for reference only, the actual appearance of the equipment and its color may vary;

### Guarantee



30 year guarantee -Structural strength of steel and stainless steel components



15 year guarantee -Structural failure of steel and stainless steel, for dynamic equipment



10 year guarantee - Structural failure of high density polyethylene and high pressure laminates components



5 year guarantee - Corrosion of stainless steel and hot dip galvanized and powder coated components; against bark beetles and rot in case of wooden structural elements

Detailed information in the guarantee card



VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991





## Surfaces according to EN 1176-1:2017

	Description (mm)	Layer thickness (cm)	Maximum fall heights (cm)
Turf/ top layer of soil (A,B,C)	-	-	≤100
hark (A.C.)	Particle size from 20	30	≤200
bark (A,C)	to 80	40	≤300
woodchips (A,C) Parti	Particle size from 5	30	≤200
	to 30	40	≤300
cand or gravel (A.C)	gravel (A,C)  Particle size from 0,25 to 8  40	30	≤200
sand or gravel (A,C)		40	≤300
synthetic attested (A,B,C)	Tested according to EN 1177		60

# Product technical sheet

# **ROBINIA RB1332**

Amount of safe surface corresponding with free fall height:

HIC <60 20,8 m<sup>2</sup>

Data is subject to change without prior notice.

