### Product technical sheet

# **FITNESS 1106**





## Product data

Length	134 cm	
Width	63 cm	
Total height	141 cm	
Age group	14+ years	
Maximum weight of user	140 kg	
Safety zone	17,9 m2	
Free fall height	<60 cm	
In accordance with norm EN	16630:2015	
Weight of the heaviest part	17 kg	
Dimensions of the largest part	39x19x131 cm	
Availability of spare parts	YES	
Installation time	1 h	
Color options		

Data is subject to change without prior notice.










vinci play





Vinci Group Sp. z o.o. Seminaryjna 9 Street 99-400 Łowicz VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991

f<mark>:</mark>tness

03/03/2021

biuro@vinci-play.com info@vinci-play.com www.vinci-play.com

# **Material specification**



Powder galvanized and powder coated or stainless steel construction of 100 x 100 mm profile,



Steps made of durable, anti-slip and waterproof HPL plate, edges made of HDPE plate, resistant to weather conditions,



Powder galvanized and powder coated steel or stainless steel bars,



Moving elements based on a durable braking system closed in casings, which do not require greasing and maintenance, ensuring long service life of the device,



Stainless steel screws and/or screws covered with plastic caps,



Safe end caps on top of the structure made of synthetic material,

#### **Additional information**

- device intended for public outdoor gyms;
- equipment has a certificate issued by an accredited entity or a declaration of conformity;
- no sharp edges or chinks that would pose a danger of jimming the head, fingers or any other body parts;
- anchoring on flat surface, 80/70 cm deep;
- render is for reference only, the actual appearance of the equipment and its color may vary;

#### Guarantee



30 year guarantee - Structural strength of steel and stainless steel components



15 year guarantee - Structural failure of steel and stainless steel, for dynamic equipment



- 10 year guarantee Structural failure of high density polyethylene and high pressure laminates components
- 5
  - 5 year guarantee Corrosion of stainless steel and hot dip galvanized and powder coated components; against bark beetles and rot in case of wooden structural elements

Detailed information in the guarantee card

Vinci Group Sp. z o.o. Seminaryjna 9 Street 99-400 Łowicz VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991



biuro@vinci-play.com info@vinci-play.com www.vinci-play.com

# Amount of safe surface corresponding with free fall height:

Surfaces EN 16630:2015


HIC <60

17,9 m²


Data is subject to change without prior notice.

	Description (mm)	Layer thickness (cm)	Maximum fall height (cm)
Concrete / stone / bituminous surfaces (A, B, C)	-	-	≤100
outer soil layer (A,B,C)	-	-	≤120
Turf (A,B,C)	-	-	≤150
bark (A,C)	Particle size from 20 to 80	30	≤200
		40	≤300
wood shavings/cuttings (A, C)	Particle size from 5 to 30	30	≤200
		40	≤300
sand (A,C)	Particle size from 0,2 to 2 mm	30	≤200
		40	≤300
gravel (A,C)	Particle size from 2 to 8	30	≤200
		40	≤300
attested synthetic (A, B, C)	Tested according to EN 1177		

В



A



biuro@vinci-play.com info@vinci-play.com www.vinci-play.com

ftness

С

20

Vinci Group Sp. z o.o. Seminaryjna 9 Street 99-400 Łowicz VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991

03/03/2021