



Product technical sheet

SOLO WD1441



Material specification

- The structure is made of a durable, moisture-resistant and low-temperature recycled composite,
- Platforms made of durable anti-slip and waterproof plywood or HPL plate,
- The covers are made of recycled HDPE panel, resistant to weather conditions
- Slides made of stainless steel with sides made of recycled HDPE boards, resistant to amospheric conditions,
- Stainless steel bars,
- Stainless steel screws and/or screws covered with plastic caps,


Vinci Group Sp. z o.o. Seminaryjna 9 Street 99-400 Łowicz VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991





biuro@vinci-play.com info@vinci-play.com www.vinci-play.com











Guarantee



30 year guarantee -Structural strength of steel and stainless steel components

Detailed information in the guarantee card

15 year guarantee and stainless steel, for dynamic equipment

15

10 Structural failure of steel

10 year guarantee - Structural failure of high density polyethylene and high pressure laminates components



5 year guarantee - Corrosion of stainless steel and hot dip galvanized and powder coated components; against bark beetles and rot in case of wooden structural elements

Product technical sheet SOLO WD1441

Product data

Length	203 cm
Width	84 cm
Total height	171 cm
Age group	1 - 8 years
Number of users	3 kids
Safety zone	16,7 m2
Free fall height	<60 cm
The height of the platforms	35 cm
In accordance with norm EN	1176-1:2017
Weight of the heaviest part	25 kg
Dimensions of the largest part	160x52x15 cm
Availability of spare parts	YES
Installation time	3 h
Color options	

Data is subject to change without prior notice.

Additional information

- equipment intended for public playgrounds;
- equipment has a certificate issued by an accredited • entity or a declaration of conformity;
- no sharp edges or chinks that would pose a danger of • jimming the head, fingers or any other body parts;
- anchoring on flat surface, 80/70/60 cm deep;
- slide should not be installed southwards;
- render is for reference only, the actual appearance of • the equipment and its color may vary;

Vinci Group Sp. z o.o. Seminaryjna 9 Street 99-400 Łowicz

VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991



biuro@vinci-play.com info@vinci-play.com www.vinci-play.com



Surfaces according to EN 1176-1:2017


	Description (mm)	Layer thickness (cm)	Maximum fall heights (cm)
Turf/ top layer of soil (A,B,C)	-	-	≤100
bark (A,C)	Particle size from 20	30	≤200
	to 80 4	40	≤300
woodching (A.C)	Particle size from 5	30	≤200
woodchips (A,C)	to 30	40	≤300
cond or group (A.C.)	Particle size from	30 40	≤200
sand or gravel (A,C)	0,25 to 8		≤300
synthetic attested (A,B,C)	Tested according to EN 1177		100

Product technical sheet SOLO WD1441

Amount of safe surface corresponding with free fall height:

HIC <60	8,9 m²	
HIC 100	7,8 m ²	

Data is subject to change without prior notice.



Vinci Group Sp. z o.o. Seminaryjna 9 Street 99-400 Łowicz VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991



biuro@vinci-play.com info@vinci-play.com www.vinci-play.com